

according to the United Nations GHS (Rev. 9, 2021) Issue date: 03/04/2023 Revision date: 03/04/2023

Supersedes: 29/11/2017

Version: 24.0

SECTION 1: Identification

1.1. GHS Product identifier

Product form Name UN-No. (ADR) Product code Mixture GC 22 3150 BU Direct Fastening

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use

For professional use only Propellant for direct fastening tools.

> H220 H280

1.4. Supplier's details

Supplier

Hilti Emirates L.L.C. Dubai Investment Park P.O. Box 11051 AE– Dubai United Arab Emirates T +971 800 44584 - F +971 4 885 4405 ae.contactus@hilti.com - www.hilti.ae

1.5. Emergency phone number

Emergency number

Hilti Entwicklungsgesellschaft mbH Hiltistrasse 6 DE– 86916 Kaufering Deutschland T +49 8191 906310 - F +49 8191 90176310 <u>df-hse@hilti.com</u>

Department issuing data specification sheet

Schweizerisches Toxikologisches Informationszentrum – 24h Service +41 44 251 51 51 (international) +971 4 8019694 800-Hilti (44584) (Toll free)

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Flammable gases, Category 1A
Gases under pressure : Compressed gas
Full text of H-statements: see section 16

2.2. GHS Label elements, including precautionary statements

Labelling according to the United Nations GHS

Hazard pictograms (GHS UN)

Signal word (GHS UN) Hazard statements (GHS UN) Danger H220 - Extremely flammable gas H280 - Contains gas under pressure; may explode if heated



according to the United Nations GHS (Rev. 9, 2021)

Precautionary statements (GHS UN)	P102 - Keep out of reach of children.
	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking.
	P211 - Do not spray on an open flame or other ignition source.
	P251 - Do not pierce or burn, even after use.
	P381 - In case of leakage, eliminate all ignition sources.
	P403 - Store in a well-ventilated place.
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

J.Z. MIXIUIES			
Name	Product identifier	%	Classification according to the United Nations GHS
isobutane	CAS-No.: 75-28-5	55 - <65	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
propene	CAS-No.: 115-07-1	20 - <30	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
Propane	CAS-No.: 74-98-6	5 - <15	Flam. Gas 1A, H220 Press. Gas (Comp.), H280

Full text of H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures				
First-aid measures general	Take off immediately all contaminated clothing.			
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.			
First-aid measures after skin contact	Gently wash with plenty of soap and water.			
First-aid measures after eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.			
First-aid measures after ingestion	Immediately consult a doctor/medical service.			
4.2. Most important symptoms/effects, acute and delayed				
Potential adverse human health effects and symptoms	No additional information available. No harmful effects are to be expected if used properly. The contained ingredients can be harmful, but they are hermetically enclosed in the article and can not be released. The dismantling of the article is prohibited.			

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measur	res
5.1. Suitable extinguishing media	
Suitable extinguishing media	Carbon dioxide. Water spray. Dry powder. Alcohol resistant foam.
Unsuitable extinguishing media	Do not use a heavy water stream.



according to the United Nations GHS (Rev. 9, 2021)

bur	eat may build pressure, rupturing closed containers, spreading fire and increasing risk of Irns and injuries.		
	n burning: release of (highly) toxic gases/vapours. Thermal decomposition generates : arbon dioxide. Carbon monoxide.		
5.3. Special protective actions for fire-fighters			
Precautionary measures fire Fig	ght fire remotely due to the risk of explosion.		
Firefighting instructions DC	O NOT fight fire when fire reaches explosives. Evacuate area.		
Protection during firefighting Do	o not enter fire area without proper protective equipment, including respiratory protection.		
Set	elf-contained breathing apparatus.		
Other information EN	N 12942. EN 12941.		

SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equipment and emergency procedures				
General measures	Evacuate area. Remove ignition sources.			
6.1.1. For non-emergency personnel				
Emergency procedures	Ventilate spillage area. Evacuate area. No open flames, no sparks, and no smoking.			
6.1.2. For emergency responders				
Protective equipment	Do not attempt to take action without suitable protective equipment. Breathing apparatus.			
6.2. Environmental precautions				

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up

Do not flush with water.

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	Do not spray on an open flame or other ignition source. Avoid contact with skin, eyes and clothing. Do not breathe vapours. Prevent the build-up of electrostatic charge.		
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
Additional hazards when processed	Flammable gas. Do not pierce or burn, even after use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	Proper grounding procedures to avoid static electricity should be followed.		
Storage conditions	Keep cool. Protect from sunlight. Keep in fireproof place. Store in dry protected location to prevent any moisture contact.		
Incompatible materials	Heat sources. Direct sunlight. Sources of ignition.		
Heat and ignition sources	Keep away from heat and direct sunlight. Keep away from ignition sources.		
Information on mixed storage	Do not store with DX powder cartridges.		
internation on mixed storage	Do not store with DA powder carinages.		

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls

Ensure good ventilation of the work station.



according to the United Nations GHS (Rev. 9, 2021)

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection In case of repeated or prolonged contact wear gloves					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	3 (> 60 minutes)	0,12		EN ISO 374
Eye protection		Chemical goggles or	safety glasses. ISO 1632	21-1. EN 170	I
Skin and body protection		When using cartridge	e operated tools, sufficien	t ear protection must	be worn.
Respiratory protection		No respiratory protection needed under normal use conditions			
Personal protective equipm	nent symbol(s)				

8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

3.1. Dasic physical and chemical propertie	73
Physical state	Gas
Colour	Colourless.
Odour	Sweet.
Odour threshold	Not available
Melting point	Not applicable
Freezing point	Not applicable
Boiling point	Not available
Flammability	Extremely flammable gas.
Lower explosion limit	1.7 vol %
Upper explosion limit	11.1 vol %
Flash point	Not applicable
Auto-ignition temperature	Not available
Decomposition temperature	Not available
pH	Not applicable
pH solution	Not applicable
Viscosity, kinematic (calculated value) (40 °C)	Not applicable
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	8300 hPa
Vapour pressure at 50°C	Not available
Density	0.6 g/cm³ (DIN 51757)
Relative density	Not applicable
Relative vapour density at 20°C	Not available
Solubility	insoluble in water.
Particle size	Not applicable

9.2. Data relevant with regard to physical hazard classes (supplemental)

Explosive properties Gas group Product is not explosive. In use, may form flammable/explosive vapour-air mixture Gases under pressure : Compressed gas

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available



according to the United Nations GHS (Rev. 9, 2021)

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Heat. Sparks. Open flame. Direct sunlight. Overheating.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information 11.1. Information on toxicological effects Acute toxicity (oral) Not classified (Based on available data, the classification criteria are not met) Acute toxicity (dermal) Not classified (Based on available data, the classification criteria are not met) Acute toxicity (inhalation) Not classified (Based on available data, the classification criteria are not met) isobutane (75-28-5) LC50 Inhalation - Rat [ppm] > 18000 ppm propene (115-07-1) LC50 Inhalation - Rat > 688 mg/m³ Propane (74-98-6) LC50 Inhalation - Rat [ppm] > 280000 ppm (literature) Skin corrosion/irritation Not classified (Based on available data, the classification criteria are not met) Serious eye damage/irritation Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Respiratory or skin sensitisation Germ cell mutagenicity Not classified (Based on available data, the classification criteria are not met) Carcinogenicity Not classified (Based on available data, the classification criteria are not met) Reproductive toxicity Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) STOT-single exposure STOT-repeated exposure Not classified (Based on available data, the classification criteria are not met) Aspiration hazard Not classified (Based on available data, the classification criteria are not met) GC 22 Vaporizer Container fitted with a sealed spray attachment Potential adverse human health effects and No additional information available. No harmful effects are to be expected if used properly. The contained ingredients can be harmful, but they are hermetically enclosed in the article symptoms

and can not be released.

The dismantling of the article is prohibited.	
---	--

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	Due to the consistency along with the low water solubility of the product a bioavailability is unlikely.	
Hazardous to the aquatic environment, short-term (acute)	Not classified (Based on available data, the classification criteria are not met)	



according to the United Nations GHS (Rev. 9, 2021)

sobutane (75-28-5)	
LC50 - Fish [1]	24.11 – 147.54 mg/l (Quantitative structure-activity relationship (QSAR))
EC50 - Crustacea [1]	7.02 – 69.43 mg/l (Quantitative structure-activity relationship (QSAR))
ErC50 algae	7.71 – 16.5 mg/l (Quantitative structure-activity relationship (QSAR))
propene (115-07-1)	
LC50 - Fish [1]	43.3 mg/l (72 h; Oncorhynchus mykiss (Rainbow trout); Quantitative structure-activity relationship (QSAR))
EC50 - Crustacea [1]	28.2 mg/l (48 h; daphnia; Quantitative structure-activity relationship (QSAR))
EC50 96h - Algae [1]	12.1 mg/l (algae; Quantitative structure-activity relationship (QSAR))
2.2. Persistence and degradability	
GC 22	
Persistence and degradability	No additional information available
isobutane (75-28-5)	
Persistence and degradability	Readily biodegradable.
propene (115-07-1)	
Persistence and degradability	Readily biodegradable in water.
Propane (74-98-6)	
Persistence and degradability	Readily biodegradable in water.
2.3. Bioaccumulative potential	
GC 22	
Bioaccumulative potential	No additional information available
isobutane (75-28-5)	
Partition coefficient n-octanol/water (Log Kow)	1.09 – 2.8 (20 °C)
Bioaccumulative potential	Bioaccumulation unlikely.
propene (115-07-1)	
Partition coefficient n-octanol/water (Log Pow)	1.77 (20 °C)
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).
Propane (74-98-6)	
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).
2.4. Mobility in soil	
GC 22	
Mobility in soil	No additional information available
2.5. Other adverse effects	
	Not classified



according to the United Nations GHS (Rev. 9, 2021)

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional legislation (waste) Waste treatment methods Product/Packaging disposal recommendations Additional information Disposal must be done according to official regulations.

Dispose of contents/container in accordance with licensed collector's sorting instructions. Container under pressure. Do not drill or burn even after use.

Flammable vapours may accumulate in the container.

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	RID
14.1. UN number or ID number			
UN 3150	UN 3150	UN 3150	UN 3150
14.2. UN proper shipping nam	e		
HYDROCARBON GAS REFILLS FOR SMALL DEVICES	HYDROCARBON GAS REFILLS FOR SMALL DEVICES	Hydrocarbon gas Refills for small devices	HYDROCARBON GAS REFILLS FOR SMALL DEVICES
Transport document description			
UN 3150 HYDROCARBON GAS REFILLS FOR SMALL DEVICES, 2.1, (D)	UN 3150 HYDROCARBON GAS REFILLS FOR SMALL DEVICES, 2.1	UN 3150 Hydrocarbon gas Refills for small devices, 2.1	UN 3150 HYDROCARBON GAS REFILLS FOR SMALL DEVICES, 2.1
14.3. Transport hazard class(e	es)		
2.1	2.1	2.1	2.1
		2	
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available			

14.6. Special precautions for user

Overland transport	
Classification code (ADR)	6F
Limited quantities (ADR)	0
Excepted quantities (ADR)	E0
Packing instructions (ADR)	P209
Mixed packing provisions (ADR)	MP9
Transport category (ADR)	2
Special provisions for carriage - Loading, unloading	CV9
and handling (ADR)	
Special provisions for carriage - Operation (ADR)	S2
Tunnel restriction code (ADR)	D
Transport by sea	
Limited quantities (IMDG)	0



according to the United Nations GHS (Rev. 9, 2021)

Excepted quantities (IMDG)	E0
Packing instructions (IMDG)	P003
EmS-No. (Fire)	F-D
EmS-No. (Spillage)	S-U
Stowage category (IMDG)	В
Stowage and handling (IMDG)	SW2
MFAG-No	115
Air transport	
PCA Excepted quantities (IATA)	E0
PCA Limited quantities (IATA)	Forbidden
PCA limited quantity max net quantity (IATA)	Forbidden
PCA packing instructions (IATA)	201
PCA max net quantity (IATA)	1kg
CAO packing instructions (IATA)	201
CAO max net quantity (IATA)	15kg
Special provisions (IATA)	A802
ERG code (IATA)	10L
Rail transport	
Classification code (RID)	6F
Limited quantities (RID)	0
Excepted quantities (RID)	E0
Packing instructions (RID)	P209
Mixed packing provisions (RID)	MP9
Transport category (RID)	2
Special provisions for carriage - Loading, unloading	CW9
and handling (RID)	
Colis express (express parcels) (RID)	CE2
Hazard identification number (RID)	23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

SECTION 16: Other	r information	
Issue date	03/04/2023	
Revision date	03/04/2023	
Supersedes	29/11/2017	

Section	Changed item	Change	Comments
	General		
1.2	Use of the substance/mixture	Added	
1.3	Supplier information	Modified	
2	Classification (GHS UN)	Modified	
2.2	Precautionary statements (GHS UN)	Modified	
8		Modified	



according to the United Nations GHS (Rev. 9, 2021)

Section	Changed item	Change	Comments
9	Physical and chemical properties	Modified	
11	Toxicological information	Modified	
12.	Ecotoxicological information	Modified	
15	Legislation	Modified	

Abbreviations and acronyms

CAS-No. - Chemical Abstract Service number

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE - Acute Toxicity Estimate

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

DNEL - Derived-No Effect Level

EC50 - Median effective concentration

ED - Endocrine disrupting properties

EC-No. - European Community number

EN - European Standard

IATA - International Air Transport Association

IMDG - International Maritime Dangerous Goods

IOELV - Indicative Occupational Exposure Limit Value

LC50 - Median lethal concentration

LD50 - Median lethal dose

NOEC - No-Observed Effect Concentration

OECD - Organisation for Economic Co-operation and Development

N.O.S. - Not Otherwise Specified

OEL - Occupational Exposure Limit

PBT - Persistent Bioaccumulative Toxic

PNEC - Predicted No-Effect Concentration

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

RID - Regulations concerning the International Carriage of Dangerous Goods by Rail

SDS - Safety Data Sheet

STP - Sewage treatment plant

TLM - Median Tolerance Limit TRGS - Technical Rules for Hazardous Substances

VOC - Volatile Organic Compounds

WGK - Water Hazard Class

vPvB - Very Persistent and Very Bioaccumulative

NOAEL - No-Observed Adverse Effect Level

NOAEC - No-Observed Adverse Effect Concentration

LOAEL - Lowest Observed Adverse Effect Level Department issuing data specification sheet.

Training advice

Full text of H-statements:		
	H220	Extremely flammable gas
	H280	Contains gas under pressure; may explode if heated

SDS UN HILTI

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.